

Tuesday, October 22nd, 2024

Alloy	Fin	Gauge	Width	Length	Quantity
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1570
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	2B	0.0150	50		6780
409	2D	0.0150	38.75		6505
430	BA	0.0150	48		4785
430	2D	0.0160	50		7960
439	2D	0.0160	37		6698
439	2D	0.0160	40		7870
301	2B	0.0200	20.865		14025
301	2B PV C	0.0200	23.5		2220
304	BA	0.0210	27.7		5750
430	BA	0.0180	36.4		9370
430	BA	0.0190	51.57		5390
439	BA	0.0197	41	96	1220
304	2B	0.0240	11.5		999
304	2B	0.0240	11.5		2528

304	#3	0.0230	12		4665
304	#3	0.0230	12		3900
304	#3	0.0230	12		3825
304	BA	0.0250	48		2645
430	2B	0.0280	17		5642
430	#4	0.0230	28.8		15200
430	#4	0.0230	29		14570
430	#3	0.0250	60	120	4030
430	#3	0.0250	60	120	700
436	2D	0.0240	48		17240
436	2D	0.0240	53.1		21520
439	2D	0.0240	5		1954
439	2D	0.0240	43.4		33500
439	2D	0.0240	43.4		33160
439	2D	0.0240	43.41		33360
301	#4	0.0290	36		2912
301	BA	0.0280	48.8		1585
301	BA	0.0300	49	120	883
304	L #4	0.0320	48	96	165
304	#3	0.0300	48	96	1089
304	L #4	0.0291	59.44	120	3138
409	2D	0.0310	5.25		2300
409	2D	0.0320	40.4		31360
409	2D	0.0310	40.625		31240
409	2D	0.0310	48.8		16340
409	2D	0.0310	48.8		16120
409	2D	0.0310	48.8		15860
430	#4	0.0280	6		1850
430	2B	0.0300	36	120	3397
430	2B	0.0300	36	120	2301
430	2B	0.0280	48	120	3375

304	L				
304	2B	0.0350	17.5	17.5	322
304	2D	0.0350	30		4020
304	2B	0.0350	44	19.75	493
304	2B	0.0350	44	19.75	913
304	2B	0.0350	44	19.75	913
304	2B	0.0350	44	19.75	913
409	2D	0.0340	3		906
409	2D	0.0350	3.9		2998
409	2D	0.0340	4		1299
409	2D	0.0350	5.25		1255
409	2D	0.0350	18.25		2300
409	2D	0.0350	18.25		2200
409	2D	0.0350	18.25		2400
409	2D	0.0350	18.25		2300
409	2D	0.0340	18.575		7350
409	2D	0.0370	18.65		3923
409	2D	0.0350	23		1500
409	2D	0.0340	27.95		12590
409	2D	0.0350	39.85		1770
409	2D	0.0360	44.55		34280
409	2D	0.0360	47.56		22550
430	BA	0.0350	0.67		3201
430	#3	0.0345	5.75		690
430	#3	0.0345	5.75		690
430	#4	0.0340	29.556	49.44	869
430	#3	0.0350	36	120	4264
430	#3	0.0350	36	120	6487
430	2B	0.0340	48		8130
430	2B	0.0340	48		11580
430	BA	0.0350	48		5760
430	2B	0.0350	48	120	2398
430	2B	0.0350	60		10318

430	#4	0.0350	61		9070
304	L2B	0.0420	21.75	21.75	662
304	L2B	0.0420	21.75	21.75	662
409	ALU	0.0420	3.5		930
409	2D	0.0400	3.7		2790
409	2D	0.0400	3.7		2805
409	2D	0.0410	5		4104
409	2D	0.0410	5.25		955
409	2D	0.0400	5.312		2080
409	2D	0.0400	5.9		4520
409	2D	0.0400	5.9		2230
409	2D	0.0390	11		3265
409	2D	0.0390	12.95		3525
409	2D	0.0390	12.95		4870
409	2D	0.0390	12.95		4900
409	2D	0.0400	17.626		6730
409	ALU	0.0420	26.562		1678
409	2D	0.0390	46		10890
409	2D	0.0390	60		12620
430	2D	0.0400	47		4650
430	2B	0.0400	60		10110
430	2B	0.0400	60		8950
436	2D	0.0390	14.44		5570
439	2D	0.0386	5.25		1395
439	2D	0.0400	19		6976
439	Pol	0.0390	47.9		8160
439	2D	0.0380	48	96	5822
439	Pol	0.0390	61		9220
441	#4	0.0380	12		5760
18	CrC b	0.0450	4.75		3125

18	CrC b 2D	0.0440	40.96		13740
201	#4	0.0460	48	62	572
301	#4	0.0440	7.25		2540
301	#4	0.0440	7.25		2530
301	#4	0.0440	7.25		2607
304	2B	0.0460	3.5		490
304	2B	0.0460	3.86		1705
304	L 2B	0.0480	4		975
304	2B	0.0460	5.75		215
304	#\$	0.0490	6		1028
304	#3	0.0480	6.5		1544
304	L 2B	0.0480	7.5		999
304	2B	0.0460	7.625		750
304	2B	0.0460	9.25		3311
304	L 2B	0.0480	11		2081
304	L 2B	0.0480	11.069		2510
304	L 2B	0.0480	17		1340
304	2B	0.0480	21.75	21.75	662
304	2B	0.0480	21.75	21.75	66
304	2B	0.0480	21.75	21.75	662
304	L 2D	0.0460	24.5		2950
304	L 2B	0.0480	26	26	293
304	L 2B	0.0480	26	26	947
304	BA	0.0460	36		9130

304	BA	0.0440	36		8890
	L				
304	2B	0.0460	36.25		8410
	L				
304	2B	0.0460	36.25		8620
	L				
304	2B	0.0460	36.25	70.25	2693
	L				
304	2B	0.0460	36.25	70.25	718
304	2B	0.0460	44	19.75	1119
304	2B	0.0460	44	19.75	1217
304	2B	0.0460	44	19.75	1217
	L				
304	2B	0.0480	48		9281
	L				
316	2B	0.0460	9		895
	L				
316	2B	0.0510	13.74		4248
	L				
316	2B	0.0480	13.9375		2430
	L				
316	2B	0.0480	14		2065
	L				
316	2B	0.0480	14		2156
409	2D	0.0460	2		142
409	2D	0.0450	3.15		1750
409	2D	0.0460	3.3123		631
409	2D	0.0450	3.5		396
409	2D	0.0450	4		671
409	2D	0.0480	6.125		1076
409	2D	0.0460	6.99		1710
409	2D	0.0470	7.5		1570
409	2D	0.0470	7.5		1723
409	2D	0.0440	8.1875		591

409	2D	0.0460	8.75		724
409	2B	0.0470	10		2818
409	2D	0.0460	11.34		985
409	2D	0.0460	11.34		316
409	2D	0.0460	11.34		1255
409	2D	0.0460	12.75		2552
409	2D	0.0460	13.228		1311
409	2D	0.0460	15.625		3045
409	2D	0.0450	17.375		10150
409	2D	0.0450	18.75		4657
409	2D	0.0450	18.75		4583
409	ALZ	0.0450	29.493		3772
409	2D	0.0540	30.05		22980
409	2D	0.0540	30.05		23060
409	2D	0.0460	48	120	806
409	2D	0.0460	49.375		2910
409	2D	0.0490	61.9		3930
430	BA	0.0452	2.625		955
430	2D	0.0460	11		2129
430	BA	0.0460	48	120	229
430	#4	0.0480	60		6349
436	2D	0.0462	43		15640
436	2D	0.0462	43		12310
436	2D	0.0462	43		12560
439	2D	0.0440	21		15630
439	2D	0.0490	40.5		16000
439	2D	0.0490	41.41		33390
439	2D	0.0490	42		13560
439	2D	0.0490	43.7		39030
439	2D	0.0460	48	96	451
439	2D	0.0470	48		6440
441	#4	0.0460	12		5265

18	CrC b	0.0571	5.564		2735
18	CrC b	0.0580	15		5552
18	CrC b	0.0580	15		5216
18	CrC b	0.0580	15		5135
18	CrC b	0.0580	15		5170
18	CrC b	0.0580	15		5167
18	CrC b	0.0580	15		5415
18	CrC b 2D	0.0560	40.73		26580
201	2B	0.0580	60		9250
201	2B	0.0580	60		13210
304	BA	0.0580	5.5		1625
304	2B	0.0580	6.5		1260
304	L 2B	0.0590	11.25		895
304	L 2B	0.0590	11.25		965
304	#3	0.0580	11.5		640
304	L 2B	0.0590	13.5		925
304	L 2B	0.0590	13.5		695
304	2B	0.0580	41	81.75	2053
304	2B	0.0600	60	120	1347
304	L2B	0.0580	60		1510

316	L 2B	0.0600	6.25		1205
316	L 2B	0.0580	7.25		575
409	2D	0.0580	1.25		580
409	2D	0.0640	2		1132
409	2D	0.0570	2.5		908
409	2D	0.0570	2.5		874
409	2D	0.0540	3.5		2040
409	2D	0.0640	3.725		2826
409	2D	0.0580	3.75		1090
409	2D	0.0550	9.2		3095
409	2D	0.0600	10		1248
409	2D	0.0590	13.5		4896
409	2D	0.0580	36	48	1708
409	2B	0.0575	36	48	8174
409	2D	0.0571	36	50	1008
409	2D	0.0571	36	48	1512
409	2D	0.0571	36	48	1512
409	2D	0.0571	36	48	1723
409	2D	0.0580	36	48	588
430	2B	0.0575	11.5		2840
430	BA	0.0575	11.5		146
430	BA	0.0575	11.5		2084
430	2B	0.0580	18.32		7960
430	2B	0.0600	36		21580
430	2B	0.0600	36		21560
430	2B	0.0600	38.75		24849
430	2B	0.0580	48		8270
430	2B	0.0600	49.11		31080
430	2B	0.0600	49.14		31000
436	L 2B	0.0600	14.016		3439

439	2D	0.0580	2.5
439	2D	0.0580	2.5
439	2D	0.0590	3
439	2D	0.0630	3.5
439	2D	0.0640	6
439	2D	0.0570	14
439	2D	0.0560	14.8
439	2D	0.0580	15
439	2D	0.0580	15
439	2D	0.0550	16
439	2D	0.0560	16
439	2D	0.0570	16
439	2D	0.0570	16.135
439	2D	0.0570	16.44
439	2D	0.0570	16.44
439	2D	0.0580	16.5
439	2D	0.0580	16.5
439	2D	0.0550	17.5
439	2D	0.0600	17.7
439	2D	0.0583	29.05
439	2D	0.0600	29.125
439	2D	0.0600	36
441	2D	0.0660	22
	CrC b		
18	2D	0.0710	42.45
201	#4	0.0750	26.25
304	2B	0.0750	3.5
304	2D	0.0730	11.625
304	#3	0.0730	12.5
304	L #4	0.0730	23.5
304	2B	0.0680	23.7

955
964
927
2592
4599
10280
11114
5628
5714
4278
12216
12120
12000
12375
12530
6088
6304
13560
3595
21540
21300
25875
16900
27520
3294
535
2180
1767
788
2410

304	L #4	0.0730	36		1207
304	#3	0.0730	36	120	3496
304	L #4	0.0730	48	144	2880
304	L 2B	0.0720	48	144	2268
304	L 2B	0.0720	48	144	2268
304	L #4	0.0730	60.28		7819
409	2D	0.0725	9.34		2490
409	2D	0.0740	9.34		2625
409	2D	0.0730	9.35		2595
409	2D	0.0669	15.626		12027
409	2D	0.0669	15.626		12107
409	2D	0.0720	20.5		5005
409	2D	0.0730	48		2410
409	2D	0.0730	48	120	6097
430	2B	0.0730	48	120	641
439	2D	0.0710	2		1550
439	2D	0.0700	2		1184
439	2D	0.0700	2		1185
439	2D	0.0700	2		1184
439	2D	0.0700	2		1182
439	2D	0.0720	3.5		2649
439	2D	0.0690	3.5		2674
439	2D	0.0700	17		6541
439	2D	0.0700	17		6449
439	2D	0.0730	17.187		2654
439	2D	0.0730	26.65		15975
439	2D	0.0740	36.45		27020
441	2D	0.0830	3.25		1098

304	L 2B	0.0870	2.5		320
304	2B	0.1020	2.75		845
304	L #3	0.1010	48	120	3351
304	L #3	0.1010	48	120	3176
304	L 2B	0.1000	49.96		5467
430	2B	0.1020	60	96	1021
201	2B	0.1200	36		23149
304	2B	0.1160	1.081		290
304	2B	0.1160	15.48		3927
304	L 2D	0.1200	35.63		6900
304	2D	0.1250	48		11775
304	2D	0.1250	48	120	715
304	2B	0.1160	48		960
304	2B	0.1160	48		1345
409	2D	0.1200	49		7920
430	2B	0.1190	50.49	92.5	1535
430	2B	0.1190	50.49	92.5	1555
430	2B	0.1190	50.49	136.75	1380
430	2B	0.1190	50.49	92.5	1545
201	HR AP	0.1380	61.53		15565
304	L 2B	0.1310	47	120	1999
304	2B	0.1310	48	120	2041
304	L #3	0.1310	48		3530
304	#3	0.1350	48		650
304	2B	0.1320	60	96	454

304	L 2B	0.1310	60		2270
316	L 2B	0.1310	10.5		1190
316	L 2B	0.1310	10.5		1195
316	L 2B	0.1310	20.75		2240
316	L 2B	0.1310	26.5		3020
316	L 2B	0.1310	27.25		2980
316	L 2B	0.1310	60		11750
316	L 2B	0.1310	60		15490
316	L 2B	0.1310	60	120	5327
409	2D	0.1350	7.5		860
409	2D	0.1350	7.5		1740
409	2D	0.1350	7.5		1740
201	LN 2B	0.1510	36	120	1877
304	2B	0.1600	48		2380
304	HR AP	0.1570	48.97		17175
304	L 2B	0.1870	5.25		2016
304	2B	0.1820	36.7		11245
304	2B	0.1820	48		2150
304	L 2B	0.1820	48		2440
304	L2B	0.1970	48	96	537

