

Wednesday, July 15th, 2026

Alloy	Fin	Gauge	Width	Length	Quantity
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1570
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	2B	0.0150	50	120	1392
304	2B	0.0150	50	120	1378
304	2B	0.0150	50	120	1716
304	2B	0.0150	50	96	2182
409	2D	0.0150	38.75		6505
430	BA	0.0158	24		1515
430	BA	0.0158	24		1435
430	2B	0.0160	48		18730
430	BA	0.0150	48		4785
430	2B	0.0160	48		16820
430	2D	0.0160	50		7960
439	2D	0.0160	37		6698
439	2D	0.0160	40		7870
301	2B PV C	0.0200	23.5		2220

430	2B	0.0200	15		741
430	2B	0.0200	16.875		10210
430	BA	0.0190	51.57		5390
436	2D	0.0192	19		2340
436	2D	0.0192	19		2240
436	2D	0.0190	28.5		11410
439	2D	0.0189	6.2		785
439	2D	0.0189	6.2		695
439	BA	0.0180	8.25		1900
439	BA	0.0180	8.25		2100
439	BA	0.0180	8.25		1915
439	BA	0.0180	8.25		1990
439	BA	0.0180	13.5		2530
439	BA	0.0180	13.5		2530
439	BA	0.0180	13.5		2570
439	BA	0.0180	13.5		2525
439	BA	0.0180	13.687		2595
439	BA	0.0197	41	96	1220
304	BA	0.0250	48		2645
430	#3	0.0250	60	120	700
430	#4	0.0240	60		15800
430	2B	0.0230	60		9520
430	#3	0.0250	60	120	4030
430	#4	0.0230	61		6400
430	#4	0.0230	61		3013
436	2D	0.0240	48		17240
436	2D	0.0240	53.1		21520
439	2D	0.0240	5		1954
301	#4	0.0290	36		2912
301	BA	0.0280	48.8		1585
301	BA	0.0300	49	120	883
304	2B	0.0280	61		10930
409	2D	0.0320	19.9		14950

409	2D	0.0320	22.875		8935
409	2D	0.0320	40.4		31360
409	2D	0.0310	40.625		31240
409	2D	0.0320	50.4		34510
430	#4	0.0280	6		1850
430	#4	0.0280	11.125		1327
430	2B	0.0300	36	120	2301
430	2B	0.0300	36	120	3397
430	BA	0.0280	51		3490
430	2B	0.0280	61.49		11110
	L				
436	2D	0.0310	6.2		4159
436	2D	0.0320	40.98		13794
439	2D	0.0280	36		3670
441	2D	0.0287	14.685		6133
441	2D	0.0287	14.685		6133
441	2D	0.0287	14.685		6134
441	2D	0.0290	40.19		26314
441	2D	0.0310	49.17		18330
201	2B	0.0350	11.5		1956
201	#4	0.0345	18.9		5045
201	#4	0.0345	18.9		1910
304	2B	0.0350	44	19.75	493
304	2B	0.0350	44	19.75	913
304	2B	0.0350	44	19.75	913
304	2B	0.0350	44	19.75	913
304	L #3	0.0350	48		1320
304	BA	0.0350	48		9890
304	2D	0.0350	60		13990
304	#3	0.0350	60		2240
304	#3	0.0350	60		2710
304	2B	0.0350	61		11140

304	2B	0.0340	61.6		7900
409	2D	0.0360	3		1013
409	2D	0.0350	3.9		2998
409	2D	0.0340	4		1299
409	2D	0.0360	4.3		1461
409	2D	0.0360	4.3		1456
409	2D	0.0350	5.25		1255
409	2D	0.0350	9		3371
409	2D	0.0350	9		3314
409	2D	0.0360	9.25		3505
409	2D	0.0360	9.25		3562
409	2D	0.0350	18.25		2300
409	2D	0.0350	18.25		2400
409	2D	0.0350	18.25		2300
409	2D	0.0350	18.25		2200
409	2D	0.0350	20		15132
409	2D	0.0360	22.5		3985
409	2D	0.0360	22.5		3920
409	2D	0.0360	45.55		17900
430	BA	0.0350	0.67		3201
430	#3	0.0345	5.75		690
430	#3	0.0345	5.75		690
430	#4	0.0340	29.556	49.44	869
430	#3	0.0350	36	120	4264
430	#3	0.0350	36	120	6487
430	2B	0.0350	48	120	2398
430	2B	0.0350	60		10318
430	#3	0.0340	60		13700
436	BA	0.0331	48		20240
441	2D	0.0360	16.54		11124
441	2D	0.0360	16.54		11127
304	L2B	0.0420	21.75	21.75	662
304	L2B	0.0420	21.75	21.75	662

409	2D	0.0380	1
409	2D	0.0380	1
409	2D	0.0380	2.2
409	2D	0.0380	2.2
409	2D	0.0380	2.2
409	2D	0.0380	2.2
409	2D	0.0390	2.5
409	2D	0.0410	3
409	2D	0.0410	3
409	2D	0.0400	3.7
409	2D	0.0400	3.7
409	2D	0.0410	5
409	2D	0.0400	5.312
409	2D	0.0400	5.9
409	2D	0.0400	5.9
409	2D	0.0400	6
409	2D	0.0390	10
409	2D	0.0390	11
409	2D	0.0380	11.5
409	2D	0.0390	12
409	2D	0.0390	12.95
409	2D	0.0390	12.95
409	2D	0.0390	12.95
409	2D	0.0380	15.875
409	2D	0.0380	15.875
409	2D	0.0400	17.626
409	2D	0.0370	32.5
430	2B	0.0410	11
430	2D	0.0400	47
430	BA	0.0390	48
436	2D	0.0390	14.44
439	2D	0.0386	5.25
439	2D	0.0420	19.5

388
384
743
744
984
739
938
1174
1142
2790
2805
4104
2080
2230
4520
2808
7780
3265
8800
9145
4900
4870
3525
5987
6159
6730
9210
3520
4650
13955
5570
1395
14883

439	Pol	0.0390	47.9		8160
439	2D	0.0380	48	96	5822
439	Pol	0.0390	61		9220
441	#4	0.0380	12		5760
18	CrC b 2D	0.0450	37.4		22339
18	CrC b 2D	0.0460	37.4		22591
18	CrC b 2D	0.0440	40.96		13740
201	2B	0.0470	11.569		4800
201	#4	0.0460	48	120	4186
201	#4	0.0460	48	120	4254
201	#4	0.0460	48	120	4388
201	#4	0.0460	48	62	572
301	#4	0.0440	7.25		2607
301	2B	0.0480	47.625		32580
301	2B	0.0480	48		31480
304	#4	0.0470	5.5		1330
304	2B	0.0460	5.75		215
304	#4	0.0490	6		1028
304	#3	0.0480	6.5		1544
304	L 2B	0.0480	17		1340
304	2B	0.0480	21.75	21.75	662
304	2B	0.0480	21.75	21.75	66
304	L 2B	0.0460	36.25	70.25	718
304	L 2B	0.0460	36.25	70.25	440

304	L 2B	0.0460	36.25	70.25	2693
304	L 2B	0.0460	36.25	70.25	2693
304	L 2B	0.0460	36.25	70.25	2693
304	L 2B	0.0460	36.25	70.25	2693
304	L 2B	0.0460	36.25	70.25	2693
304	L 2B	0.0460	36.25	70.25	2693
304	2B	0.0460	44	19.75	1217
304	2B	0.0460	44	19.75	1119
304	2B	0.0460	44	19.75	1217
409	2D	0.0460	2		142
409	2D	0.0460	3.3123		631
409	2D	0.0450	4		671
409	2D	0.0480	6.125		1076
409	2D	0.0440	8.1875		591
409	2D	0.0460	8.75		724
409	2B	0.0470	10		2818
409	2D	0.0460	11.34		985
409	2D	0.0460	11.34		1255
409	2D	0.0460	12.75		2552
409	2D	0.0460	13.228		1311
409	ALZ	0.0450	29.493		3772
409	2D	0.0460	48	120	806
409	2D	0.0460	49.375		2910
409	2D	0.0490	61.9		3930
430	#4	0.0480	11		915
430	#4	0.0480	48	120	766
430	#4	0.0480	60		6349

436	2D	0.0440	40.78		15668
	L				
436	2D	0.0450	52.5		10964
439	2D	0.0460	19		6200
439	2D	0.0480	19.5		9830
439	2D	0.0440	21		15630
439	2D	0.0460	23.75		18540
439	2D	0.0490	41.41		33390
439	2D	0.0490	42		36735
439	2D	0.0462	43		12310
439	2D	0.0490	43		17320
439	2D	0.0490	43		17590
439	2D	0.0490	43.06		19330
439	2D	0.0490	43.7		39030
439	2D	0.0490	44		20580
439	2D	0.0460	46.15		36280
441	2D	0.0450	4.75		3140
441	2D	0.0450	4.78		3272
441	2D	0.0450	4.78		3439
441	#4	0.0460	12		5265
441	2B	0.0480	12.75		1210
441	2D	0.0530	36.65		20317
441	2D	0.0530	40.94		12700
441	2D	0.0450	47.28		31713
441	2D	0.0450	48.97	120	3886
441	2D	0.0450	48.97	120	3904
441	2D	0.0450	48.97	120	1876
441	2D	0.0450	50.9	120	4005
441	2D	0.0450	50.9		16640
441	2D	0.0450	50.9	120	3685
429	2D	0.0780	20.0787		7445
429	2D	0.0780	20.0787		7269
429	2D	0.0780	20.0787		7132

429	2D	0.0780	20.0787		6849
429	2D	0.0780	23.4		7872
429	2D	0.0780	23.4		7605
	CrC b				
18	2D	0.0560	40.73		25600
304	#3	0.0580	11.5		640
	L				
304	2B	0.0590	13.5		925
	L				
304	2B	0.0590	13.5		695
304	2B	0.0580	26	26	1183
304	2B	0.0580	26	26	1183
304	2B	0.0580	26	26	1183
304	2B	0.0580	26	26	1183
304	2B	0.0580	26	26	1183
304	2B	0.0580	41	81.75	2053
304	L #4	0.0600	48	120	2628
304	2B	0.0600	60	120	1347
304	L2B	0.0580	60		1510
	L				
316	2B	0.0580	7.25		575
	L				
316	2B	0.0580	48	120	3680
	L				
316	2B	0.0580	48	120	3495
	L				
316	2B	0.0580	48	120	1109
409	2D	0.0580	1.25		580
409	2D	0.0570	2.5		874
409	2D	0.0570	2.5		908
409	2D	0.0540	3.5		2040

409	2D	0.0580	3.75		1090
409	2D	0.0550	9.2		3095
409	2D	0.0600	10		1248
409	2D	0.0580	36	48	588
409	2D	0.0571	36	48	1723
409	2D	0.0571	36	50	1008
409	2B	0.0575	36	48	8174
409	2D	0.0571	36	48	1512
409	2D	0.0580	36	48	1708
409	2D	0.0571	36	48	1512
430	2B	0.0580	10.168		1700
430	2B	0.0580	10.168		1728
430	2B	0.0600	10.25		6105
430	BA	0.0575	11.5		146
430	BA	0.0575	11.5		2084
430	#3	0.0580	48		11200
430	#3	0.0580	48		11610
430	#3	0.0580	48		9850
439	2D	0.0570	6		1008
439	2D	0.0550	7.937		4278
439	2D	0.0600	14		9777
439	2D	0.0600	15.45		12100
439	2D	0.0600	15.45		11876
439	2D	0.0600	16		3149
439	2D	0.0550	48		5970
441	2D	0.0600	19.5		12660
441	#3	0.0580	48		7430
441	#3	0.0580	48		10060
201	#4	0.0750	26.25		3294
304	2B	0.0750	3.5		535
304	#3	0.0730	12.5		1767
304	L #4	0.0730	23.5		788

304	2B	0.0680	23.7		2410
304	L #4	0.0730	36		1207
304	#3	0.0730	60	98	2575
304	L #4	0.0730	60.28		7819
304	#3	0.0730	61		8260
304	#3	0.0730	62.52		7090
409	2D	0.0710	22.5		17442
409	2D	0.0780	46.69		17736
409	2D	0.0730	48	120	6097
409	2D	0.0730	48		2410
439	2D	0.0730	17.187		2654
441	2D	0.0830	3.25		1098
	L				
304	2B	0.0870	2.5		320
304	2B	0.1020	2.75		845
430	2B	0.1020	60	96	1021
201	2B	0.1200	36		23149
304	2B	0.1160	1.081		290
304	2B	0.1160	48		1345
304	2D	0.1250	48	120	715
304	2B	0.1160	48		960
304	#3	0.1160	60		7530
201	2B	0.1310	60		8570
	HR				
201	AP	0.1380	61.53		9655
304	L #3	0.1310	48		3530
	L				
304	2B	0.1310	60		2270
304	2B	0.1320	60	96	454

316	L 2B	0.1310	10.5		1190
316	L 2B	0.1310	10.5		1195
316	L 2B	0.1310	20.75		2240
316	L 2B	0.1310	26.5		3020
316	L 2B	0.1310	27.25		2980
316	L #3	0.1310	48		9140
316	L 2B	0.1310	60	120	5327
304	2B	0.1600	48		2380
201	2B	0.1820	60		10480
304	2B	0.1820	36.7		11245
304	L2B	0.1970	48	96	537
304	2B	0.1820	48		2150
304	L 2B	0.1820	48		2440
304	HR AP	0.1900	60	16	262
304	HR AP	0.1900	60	24	236
304	L HR AP	0.3300	39.25		14418
304	L HR AP	0.3300	50.111		23303

[illegible]

[illegible]